ELSEVIER

Neuroscience Letters 248 (1998) 213–215

Neuroscience Letters

Contents to Volume 248

Volume 248, no. 1

Guidelines for the Submission of Manuscripts v

Apolipoprotein E ϵ4 alleles and meiotic origin of non-disjunction in Down syndrome children and in their corresponding fathers and mothers
M. Ezquerra, F. Ballesta, R. Queralt, R. Aledo, D. Gómez, M. Guitart, J. Egozcue, C. Ascaso, R. Oliva (Spain) 1

Effect of deferoxamine and allopurinol on non-protein-bound iron concentrations in plasma and cortical brain tissue of newborn lambs following hypoxia-ischemia
M. Shadid, G. Buonocore, F. Groenendaal, R. Moison, M. Ferrali, H.M. Berger, F. van Bel (The Netherlands, Italy) 5

High sensitivity quantitative analysis of cobalt uptake in rat cerebellar granule cells with and without excitatory amino acids
G.F. Lorusso, G. De Stasio, B. Gilbert, D. Perret, P. Perfetti, G. Margaritondo, P. Casalbore, M.T. Ciotti, L. Milazzo, D. Mercanti (Switzerland, Italy) 9

Herpes simplex virus encephalitis: cranial magnetic resonance imaging and neuropathology in a mouse model
U. Meyding-Lamadé, W. Lamadé, R. Kehm, K.W. Knopf, T. Heß, G. Gosztonyi, O. Degen, W. Hacke (Germany) 13

Over-expression of acetylcholinesterase stimulates the expression of agrin in NG108–15 cells
R.C.Y. Choi, S.C.Y. Yam, B. Hui, D.C.C. Wan, K.W.K. Tsim (China) 17

Serum apolipoprotein E level is not increased in Alzheimer's disease: the Rotterdam study
A.J.C. Slooter, P. de Knijff, A. Hofman, M. Cruts, M.M.B. Breteler, C. Van Broeckhoven, L.M. Havekes, C.M. van Duijn (The Netherlands, Belgium) 21

Differential effect of selective cyclooxygenase-2 (COX-2) inhibitor NS 398 and diclofenac on formalin-induced nociception in the rat
C. Euchenhofer; C. Maihöfner, K. Brune, I. Tegeder, G. Geisslinger (Germany) 25

Differential localization of $GABA_A$ receptor α and β subunits in the hamster retina and relationship with glutamic acid decarboxylase immunoreactivity
Y.L. Lee, E.Y.P. Cho, K.K.L. Yung (China) 29

The development of tolerance to intrathecal morphine in rat models of visceral and cutaneous pain
T.J. Ness, K.A. Follett (USA) 33

Non-adrenergic, non-cholinergic neurons innervating the guinea-pig trachea are located in the oesophagus: evidence from retrograde neuronal tracing
J.D. Moffatt, B. Dumsday, J.R. McLean (Australia) 37

Role of peroxynitrite and neuronal nitric oxide synthase in the activation of poly(ADP-ribose) synthetase in a murine model of cerebral ischemia-reperfusion
M. Endres, G. Scott, S. Namura, A.L. Salzman, P.L. Huang, M.A. Moskowitz, C. Szabó (USA) 41

Auditory cortical event-related potentials to pitch deviances in rats
T. Ruusuvirta, M. Penttonen, T. Korhonen (Finland) 45

Presence and structure of innervated myotendinous cylinders in sheep extraocular muscle
R. Blumer, J.R. Lukas, R. Wasicky, R. Mayr (Austria) 49

Extracellular amino acids in the rat hippocampus during picrotoxin threshold seizures in chronic microdialysis experiments
G. Sierra-Paredes, J. Galán-Valiente, M.D. Vazquez-Illanes, E. Aguilar-Veiga, R. Soto-Otero, E. Mendez-Alvarez, G. Sierra-Marcuñ (Spain) 53

Identification of D-aspartate in rat pheochromocytoma PC12 cells
Y. Moriyama, H. Yamada, M. Hayashi, T. Oda, A. Yamaguchi (Japan) 57

Prevention of dopaminergic neuron death by adeno-associated virus vector-mediated GDNF gene transfer in rat mesencephalic cells in vitro
D.-s. Fan, M. Ogawa, K. Ikeguchi, K.-i. Fujimoto, M. Urabe, A. Kume, M. Nishizawa, N. Matsushita, K. Kiuchi, H. Ichinose, T. Nagatsu, G.J. Kurtzman, I. Nakano, K. Ozawa (Japan, USA) 61

Non-acetylcholine displaceable ^{3}[H]epibatidine binding in the rat brain
P. Plenge, E. Mellerup (Denmark) 65

Antioxidant properties of nicergoline; inhibition of brain auto-oxidation and superoxide production of neutrophils in rats
M. Tanaka, T. Yoshida, K. Okamoto, S. Hirai (Japan) 68

Volume 248, no. 2

Kindling-induced neurogenesis in the dentate gyrus of the rat
B.W. Scott, S. Wang, W.M. Burnham, U. De Boni, J.M. Wojtowicz (Canada) 73

Lysophosphatidylserine potentiates nerve growth factor-induced differentiation of PC12 cells
S. Lourenssen, M.G. Blennerhassett (Canada) 77
Concurrent decrease of vasopressin and protein kinase Cα immunoreactivity during the light phase in the vole suprachiasmatic nucleus
K. Jansen, E.A. Van der Zee, M.P. Gerkema (The Netherlands) 81
Expression of β-endorphin and its receptors in the spinal cord of obese-diabetic ob/ob mice
S. MacDonald, M.E. Smith, C.J. Bailey (UK) 85
Peripheral fields of sympathetic vasoconstrictor neurons in guinea pigs
I.L. Gibbins, B. Hoffmann, J.L. Morris (Australia) 89
Noradrenaline neurotoxin DSP-4 effects on sleep and brain temperature in the rat
M.M. del C. González, G. Debilly, J.-L. Valatx (France) 93
Development of systemic lupus erythematosus in mice is associated with alteration of neuropeptide concentrations in inflamed kidneys and immunoregulatory organs
L. Bracci-Laudiero, L. Aloe, C. Stenfors, E. Theodorsson, T. Lundeberg (Sweden, Italy) 97
Cysteine dioxygenase: regional expression of activity in rat brain
R.B. Parsons, P.C. Barber, R.H. Waring, A.C. Williams, D.B. Ramsden (UK) 101
Formation and sequence analysis of secretoneurin, a neuropeptide derived from secretogranin II, in mammalian, bird, reptile, amphibian and fish brains
B. Leitner, C. Schneitler, H. Klocker, W. Volknandt, H. Zimmermann, H. Winkler, R. Fischer-Colbrie (Austria, Germany) 105
m-Calpain (calcium-activated neutral proteinase) in Alzheimer's disease brains
T. Tsuji, S. Shimohama, J. Kimura, K. Shimizu (Japan) 109
Dependence of sympathetic vasomotor tone on bilateral inputs from the rostral ventrolateral medulla in the rabbit: role of baroreceptor reflexes
J. Horiuchi, R.A.L. Dampney (Australia) 113
Prepulse facilitation of auditory startle response in hamsters
H. Sasaki, H. Iso, P. Coffey, T. Inoue, Y. Fukuda (Japan, UK) 117
Biphasic effect of aluminium on cholinergic enzyme of rat brain
S. Kumar (India) 121
Sevoflurane suppresses behavioral response in the rat formalin test: combination with intrathecal lidocaine produced profound suppression of the response
S. Hao, H. Ogawa (Japan) 124
Nitric oxide activates Ca^{2+}-activated K^+ channels in cultured bovine adrenal chromaffin cells
C.-H. Chen, H. Houchi, M. Ohnaka, S. Sakamoto, Y. Niwa, Y. Nakaya (Japan) 127
ATP produces potassium currents via P_3 purinoceptor in the follicle cell layer of *Xenopus* oocytes
T. Matsuoka, T. Nishizaki, T. Nomura, M. Mori, Y. Okada (Japan) 130
Polyethylene glycol-induced hypovolemia affects the expression of MCH mRNA, but not dynorphin or secretogranin II mRNAs, in the rat lateral hypothalamus
C. Hervé, C. Colard, S. Grillon, D. Fellmann, B. Griffond (France) 133
$GABA_{b<}$ receptors differentially regulate hippocampal CA1 excitatory synaptic transmission across postnatal development in the rat
T.C. Dumas, T.C. Foster (USA) 138
Regulation of the phosphorylation of glial fibrillary acidic protein (GFAP) by glutamate and calcium ions in slices of immature rat spinal cord: comparison with immature hippocampus
T. Kommers, L. Vinadé, C. Pereira, C.A. Gonçalves, S. Wofchuk, R. Rodnight (Brazil) 141
Central administration of urocortin inhibits vasopressin release in conscious rats
S. Kakiya, H. Yokoi, H. Arima, Y. Iwasaki, Y. Oki, Y. Oiso (Japan) 144

Volume 248, no. 3

High ethanol tolerance in young adults is associated with the low-activity variant of the promoter of the human serotonin transporter gene
T. Türker, R. Sodmann, U. Goebel, S. Jatzke, M. Knapp, K.-P. Lesch, R. Schuster, H. Schütz, G. Weiler, G. Stöber (Germany) 147
Rat dorsal root ganglion neurones express different capsaicin-evoked Ca^{2+} transients and permeabilities to Mn^{2+}
V.N. Dedov, B.D. Roufogalis (Australia) 151
Interactions between nociceptive and non-nociceptive afferent projections to cerebral cortex in humans
A. Rossi, B. Decchi, V. Groccia, R.D. Volpe, R. Spidalieri (Italy) 155
Differential uptake of dextran beads by astrocytes, macrophages and oligodendrocytes in mixed glial-cell cultures from brains of neonatal rats
F.A. Tansey, W. Cammer (USA) 159
Ontogeny of a diurnal rhythm in arylalkylamine-*N*-acetyltransferase mRNA in rat pineal gland
M. Pfeffer, J.H. Stehle (Germany) 163

Transient expression of the vesicular monoamine transporter during development in the rat thalamus and cortex
I. Leroux-Nicollet, J. Costentin (France) 167
Cannabinoid effects in basal ganglia in a rat model of Parkinson's disease
M.C. Sañudo-Peña, S.L. Patrick, S. Khen, R.L. Patrick, K. Tsou, J.M. Walker (USA) 171
Effects of neurotoxic doses of methamphetamine on potassium and amphetamine evoked overflow of dopamine in the striatum of awake rats
W.A. Cass, M.W. Manning, M.T. Dugan (USA) 175
Anatomy of a new paired tract of the pineal gland in humans
D.L. Sparks (USA) 179
Intraseptal infusions of a low dose of AP5, a NMDA receptor antagonist, improves memory in an object recognition task in rats
C. Puma, J.-C. Bizot (France) 183
Adenosine induces apoptosis by inhibiting mRNA and protein synthesis in chick embryonic sympathetic neurons
J.S. Kulkarni, D.A. Przywara, T.D. Wakade, A.R. Wakade (USA) 187
GABAergic inhibition of neonatal rat phrenic motoneurons
C.-K. Su, C.-Y. Chai (China, USA) 191
Intracellular Ca^{2+} store-operated influx of Ca^{2+} through TRP-R, a rat homolog of TRP, expressed in *Xenopus* oocytes
Y. Tomita, S. Kaneko, M. Funayama, H. Kondo, M. Satoh, A. Akaike (Japan) 195
NF-κB is activated and ICAM-1 gene expression is upregulated during reoxygenation of human brain endothelial cells
E.F. Howard, Q. Chen, C. Cheng, J.E. Carroll, D. Hess (USA) 199
Entrainment of the medullary respiratory generators by electrical stimulation in the cervical grey matter on in vitro preparations of newborn rat
D. Dubayle, D. Viala (France) 204

Author Index to Volume 248 209
Contents to Volume 248 213